



REVERSE OSMOSIS SYSTEM

SWT's Premium™ Reverse Osmosis System provides up to 50 gallons per day of high quality water. Reverse Osmosis technology allows the homeowner to enjoy bottled water quality from the tap at a fraction of the cost and with none of the aggravation.



RO systems can be serviced and maintained in less than 1/2 hour per year. You receive clear, refreshing water that is not only healthy to drink, but is good for appliances such as ice makers, steam irons, humidifiers, and car batteries. It's better for your pet's drinking water too.

FEATURES INCLUDE:

- The first stage utilizes a finely porous carbon block. This carbon block removes sediment such as silt, sand, grit, and sludge which may be present in the water supply. The carbon matrix adsorbs chlorine, taste, odor, color, pesticides, and an extensive list of chemical compounds that have been found in water supplies and are deemed health risks by the EPA.
- The water is then hyperfiltrated through a reverse osmosis element that treats the water down to the molecular level. It will reject 93% to 99+% of contaminants such as salt, nitrates, lead, fluoride, iron, copper, mercury, and arsenic. It also filters out larger organisms such as giardia cysts and cryptosporidium.
- The final stage is a second carbon filter which is used to polish the RO water as it comes out of the storage tank just prior to the faucet.
- Deluxe long reach faucet
- Large water reservoir
- All hardware necessary for installation

SWT PREMIUM™ PERFORMANCE SPECIFICATIONS

With proper installation and maintenance the RO membrane module in the SWT Premium™ Reverse Osmosis System will reject the following substances from tap water:

Arsenic	94-96%
Barium	96-98%
Bicarbonate	95-96%
Boron	60-70%
Bromide	93-96%
Cadmium	96-98%
Calcium	94-97%
Chloride	87-95%
Copper	98-99%
Cyanide	86-95%
Fluoride	94-96%
Hardness	95-98%
Iron	95-98%
Lead	96-98%
Magnesium	96-98%
Manganese	98-99%
Mercury	96-98%
Nickel	98-99%
Nitrate	90-96%
Phosphate	96-99%
Potassium	87-97%
Pyrogen	98-99%
Selenium	96-98%
Silica	85-90%
Silicate	95-97%
Silver	95-97%
Sodium	87-98%
Strontium	96-98%
Sulfate	98-99%
Zinc	98-99%

...plus more. The RO membrane module will also aid in the removal of color, asbestos, and cysts such as giardia and cryptosporidium.

Contact your SWT representative for more details.

The SWT Premium™ Reverse Osmosis System has two carbon filtration modules which will remove, or significantly reduce, over 50 chemical substances that the EPA has deemed potential carcinogens. They include:

Adipates(diethylhexyl)	Chromium (+3)	Endrin	PCB's
Alachlor	Chrysene (PAH)	Ethylbenzene	Sediment
Aldicarb	Dalapon	Ethylene dibromide(EDB)	Simazine
Aldicarb sulfone	Di (2-ethylhexl) adipate	Glyphosate	Styrene
Aldicarb sulfoxide	Dibenz (a,h) antracene	Heptachlor	3,7,8-TCDD (dioxin)
Atrazine	Dibromochloropropane	Heptachlor epoxide	2,4-D
Benz (a) anthracine (PAH)	Dichlorobenzene (meta-)	Hextachlorobenzene	2,4,5-TP (silvex)
Benzene	Dichlorobenzene (ortho)	Hextachlorocyclopentadiene	TCB's
Benzo (a) pyrene (PAH)	Dichlorobenzene (para-)	Indo (1,2,3-c,d) pyrene (PAH)	TCE's
Benzo (b) floranthene (PAH)	Dichloroethane (1,2-)	Lidane	Tetrachloroethylene
Benzo (k) floranthene (PAH)	Dichloroethylene (1,1-)	Mercury (organic complexes)	Thallium
Beryllium	Dichloroethylene (cis-1,2-)	Methoxychlor	THM's
Butyl benzyl phthalate (PAE)	Dichloroethylene (trans-1,2)	Monochlorobenzene	Toluene
Cadmium	Dichloropropane	Organic color	Toxaphene
Carbofuran	Diethylhexyl phthalate (PAE)	Organics	Vinyl chloride
Carbon tetrachloride	Dinoseb	Oxymal	Xylenes
Chlordane	Diquat	Pentachlorophenal	
Chlorine	Endothall	Picloram	

The above chemicals usually come from pesticides, farm and industrial run-off, and chemicals permeating through soil into ground water, aquifers, or rivers. Most municipal water supplies in the US constantly monitor for these substances and advise their customers accordingly. For further information, check with your local water supplier, the EPA, and your local water treatment professional.

GENERAL INSTALLATION AND SERVICE PARAMETERS

The SWT Premium™ RO System will work at peak efficiency on either municipal or ground water supplies that do not exceed the following:

Maximum psi	125 lbs
TDS	1800 ppm
Iron	0.4 ppm
Hardness	17 gr/gal
H2SO	0.05 ppm
Manganese	0.1 ppm

The SWT Premium™ has been designed to give many years of trouble free service. To keep the system operating in

peak efficiency, it is recommended that the unit be inspected every 6 months for possible pre-filter sediment clogging (especially if there is a lot of sediment in your water supply). Manufacturer recommends that the system be serviced on an annual basis to replace the carbon filtration modules and the RO membrane module.*

* The RO membrane module may last for a much longer period of time on relatively good water. Check with your water treatment professional for local water characteristics and testing.

All Safe Water Technologies' components and systems are made in the USA. All housings, cartridges, membranes, faucets, and tubing used in SWT reverse osmosis systems are NSF listed. No consumer water supply that has known contamination should be assumed safe simply with the addition of water treatment equipment. Although RO technology has proven to be effective in almost all instances, SWT strongly urges that water samples be re-tested after installation to assure proper installation and performance of the water treatment equipment.